

# AVOGREEN RECORDING SHEET

Orchard : **Mr Grower**

P-PIN: **92333**

SAMPLE AREA **Example 4**

Monitor : **A Grower**

\* Use Leafroller shoot monitoring only when touching fruit is NOT available

\*\* Leafroller egg rafts are only counted in Quarantine Monitoring just before harvesting.

\*\*\* Monitor Scale only if agreed with the Grower on the Sample Plan

Date : **Today's date**

Start time : **10.00**

End time : **10.45**

Tree No.	LR - fruit / *shoots (circle what used)			If using fruit and shoot samples, count the shoots used	** Egg rafts	GHT	6SM			***SCALE (10 per tree) Fruit or Leaf (circle one)	OBSERVATIONS
	Fruit = 5 sites / Shoots = 10 sites per tree						10 leaves per tree				
	Sm (<6mm)	Med (6-10mm)	L (>10mm)				<5 (Low)	5 - 10 (Med)	>10 (High)		
1				10			1				3 GHT seen on leaves
2				10						1L	
3	1		1	10						1L	
4		1	1	10			11	1		1L	some predators seen
5				10							
6				10				11			
7				10			111		11		Ladybirds
8				10							
9				10							
10				10							

	Sm	M	L	GHT	<5 (Low)	5 - 10 (Med)	>10 (High)
Totals :	1	1	2	100	6	3	2
	a	b	c	d	e	f	g

**3Leaf**

% Infested (5 sites sampled)	LR = (a+b+c) = 4 =	<b>4%</b>
	GHT = (d x 2) =	<b>0%</b>

6SM Abundance (%)	Low (e) =	<b>6%</b>
	Med (f) =	<b>3%</b>
	High (g) =	<b>2%</b>

**Scale = (h) = 3% on leaf**

**IMPORTANT :** If leafrollers are sampled only using shoots, the summed total (a+b+c) is the percentage.  
If a mixture of fruit and shoot samples are used, see the calculation on the web.